1	A MS409-10* DRAWN-SEAMLESS		Β		c		- 1
2	*OPTIONAL SHIELD CONFIG	URATIONS					2
3	2-PIECE SHIELD COVER	2-PIECE SHIELD FRAME	1-PIECE SH	IIELD			3
4	ITEM P/N MS409-10C MS409-10F MS409-10S MS409-10C-NS MS409-10F-NS	MS409-10C 2-PIECE EMI/RFI SHIELD COVER MS409-10F 2-PIECE EMI/RFI SHIELD FRAME MS409-10S 1-PIECE EMI/RFI SHIELD MS409-10C-NS 2-PIECE EMI/RFI SHIELD COVER				MATERIAL TIN-PLATED STEEL TIN-PLATED STEEL TIN-PLATED STEEL NICKEL-SILVER NICKEL-SILVER	
5	MS409-10S-NS 1-PIECE EMI/RFI SHIELD NICKEL-SILVER TIN-PLATED STEEL: CRS ELECTROLYTIC TINPLATE NICKEL-SILVER: UNS C77000 / UNS C73500						
6							6
	Masach	SHIELD CONFIGURATION:			MATERIAL:		
22 T: (MASACH TECH LTD. HAGANAN, MODIIN 7169513 ISRAEL (+972) 8-9754681 / F: (+972) 8-9754682 J@masach.com / www.masach.com	SHIELD TYPE:		RoHS Compliant	ACH pliant	1 INCH	10 MM









